

Zhen, Li B

From: Dave Dagg [ddagg@smmalaw.com]
Sent: Friday, January 07, 2005 10:47 AM
To: Zhen, Li B
Subject: 09/326,035 CONFIDENTIAL & PROPRIETARY

NORTEL CONFIDENTIAL AND PROPRIETARY

Examiner Zhen,

Per our phone conversation, you are authorized to charge our deposit account 502569 for any additional claim fee. You are further authorized to amend the claims as indicated in the attached proposed amendment in an Examiner's amendment.

If you have any questions, please let me know.

thanks again,

Dave D.

David A. Dagg
Steubing McGuinness & Manaras L.L.P.
125 Nagog Park Drive
Acton MA 01720-3451
phone: 617-630-1131
mobile: 617-218-7777
fax: 617-641-9620

This message and any attachments may contain confidential or privileged information. If you are not the intended recipient, please notify me immediately by replying to this message, and destroy all copies of the message and any attachments.

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	59	channel adj (id or identifier) with (connection or communication or path or link) with (application or program)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L2	27	L1 and (((@ad < "19990423") or (@prad < "19990423") or (@rlad < "19990423"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L8	59	channel adj (id or identifier) with (connection or communication or path or link) with (application or program)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L9	32	channel adj (id or identifier) with (connection or communication or path or link) with (application or program)	USPAT	OR	ON	2005/01/07 14:25
L10	127	channel adj (id or identifier) with (connection or communication or path or link) same (application or program)	USPAT	OR	ON	2005/01/07 14:25
L11	172	channel adj (id or identifier) same (connection or communication or path) same (application or program)	USPAT	OR	ON	2005/01/07 14:25
L15	99	plug\$play same (connection or communication or path or link) with (application or program or software)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L16	28	L15 and (((@ad < "19990423") or (@prad < "19990423") or (@rlad < "19990423"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L17	34	control near2 path same (connection or communication or path or link) with (application or program or software) same channel same (add\$3 or install\$5)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L18	7	L17 and (((@ad < "19990423") or (@prad < "19990423") or (@rlad < "19990423"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L19	360	control near2 path same (connection or communication or path or link) with (application or program or software) same channel	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L20	34	control near2 path same (connection or communication or path or link) with (application or program or software) same channel same (add\$3 or install\$5)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L21	14	plug\$play same (connection or communication or path or link) with (application or program or software) same channel	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25

L23	99	plug\$play same (connection or communication or path or link) with (application or program or software)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L25	446	control adj path with (api or interface)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L26	32	control adj path same (application or program or software) same rout\$4 same channel	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L27	9	L26 and (((@ad < "19990423") or (@prad < "19990423") or (@rlad < "19990423")))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L28	9	L27 and (((@ad < "19990423") or (@prad < "19990423") or (@rlad < "19990423")))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L29	415	control adj path with (channel)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L30	40	control adj path with (channel) with rout\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L31	40	control adj path with (channel) with rout\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L32	13	L31 and (((@ad < "19990423") or (@prad < "19990423") or (@rlad < "19990423")))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L33	446	control adj path with (api or interface)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L34	285	L33 and (((@ad < "19990423") or (@prad < "19990423") or (@rlad < "19990423")))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25

L35	148	control adj path near3 (api or interface)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L36	95	L35 and ((@ad < "19990423") or (@prad < "19990423") or (@rlad < "19990423"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L37	9	L26 and ((@ad < "19990423") or (@prad < "19990423") or (@rlad < "19990423"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L38	148	control adj path near3 (api or interface)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L39	2152	control adj path same (application or program or software)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L40	221	control adj path same (application or program or software) same rout\$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L41	32	control adj path same (application or program or software) same rout\$4 same channel	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L42	68	(install\$5 or add\$3) with (program or application or software) with (path) with channel	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L43	33	L42 and ((@ad < "19990423") or (@prad < "19990423") or (@rlad < "19990423"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L44	11518	control adj path	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L45	68	(install\$5 or add\$3) with (program or application or software) with (path) with channel	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25

L46	178	(717/176).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 14:25
L47	52	L46 and (((@ad < "19990423") or (@prad < "19990423") or (@riad < "19990423"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L48	4509	(install\$5 or add\$3) same (program or application or software) same (path) same channel	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L49	12617	(install\$5) with (program or application or software) same (path or connection)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L50	52	L46 and (((@ad < "19990423") or (@prad < "19990423") or (@riad < "19990423"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L51	15	L50 and ((application or software or program) same path)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L52	338	(717/174).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 14:25
L53	109	L52 and (((@ad < "19990423") or (@prad < "19990423") or (@riad < "19990423"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L54	36	L53 and ((application or software or program) same path)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L56	7	("5805804" "6038562" "6044218" "6119126" "6158044" "6179489" "6233543").PN.	US-PGPUB; USPAT; USOCR;	OR	ON	2005/01/07 14:25
L57	178	(717/176).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 14:25
L58	152	(install\$5 or add\$3) same (program or application or software) with (path) with (route or routing)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25

L59	76	L58 and (((@ad < "19990423") or (@prad < "19990423") or (@rlad < "19990423"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L60	109	L52 and (((@ad < "19990423") or (@prad < "19990423") or (@rlad < "19990423"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L61	338	(717/174).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 14:25
L62	4	(channel adj (id or identifier) same (connection or communication or path) same (application or program)). ab.	USPAT	OR	ON	2005/01/07 14:25
L63	20	channel adj (id or identifier) with (type or format or protocol) same (connection or communication or path) same (application or program)	USPAT	OR	ON	2005/01/07 14:25
L64	41	((connection or communication or path) adj (id or identifier) with (type or format or protocol) same (application or program)) not (channel adj (id or identifier) with (type or format or protocol) same (connection or communication or path) same (application or program))	USPAT	OR	ON	2005/01/07 14:25
L65	6	((connection or communication or path or session) adj (id or identifier) with (type or format or protocol) same (application or program)) and (path adj control\$4)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L66	52	(connection or communication or path) adj (id or identifier) with (type or format or protocol) same (application or program)	USPAT	OR	ON	2005/01/07 14:25
L67	34	(connection or communication or path or session) adj (id or identifier) same (path adj control\$3)	USPAT	OR	ON	2005/01/07 14:25
L68	96	(connection or communication or path or session) adj (id or identifier) with (type or format or protocol) same (application or program)	USPAT	OR	ON	2005/01/07 14:25
L69	710	(719/310).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 14:25
L70	2	(connection or communication or path) adj (id or identifier) with (type or format or protocol) same (application or program) same frame same packet	USPAT	OR	ON	2005/01/07 14:25
L71	67	((((719/310).CCLS.) and ((establish\$3 or creat\$3) with (connection or communication or path or session or link) with (program or application or software))) and (((@ad < "19990604") or (@prad < "19990604") or (@rlad < "19990604"))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L72	36	((((719/310).CCLS.) and ((establish\$3 or creat\$3) with (connection or communication or path or session or link) with (program or application or software))) and (((@ad < "19990604") or (@prad < "19990604") or (@rlad < "19990604")) and (data near (type or format))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L73	3061	analysis adj machine	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L74	172	channel adj (id or identifier) same (connection or communication or path) same (application or program)	USPAT	OR	ON	2005/01/07 14:25

L75	8	multi adj thread\$3 with analysis adj machine	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L76	12	analysis adj machine with thread	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L77	126	((719/310).CCLS.) and ((establish\$3 or creat\$3) with (connection or communication or path or session or link) with (program or application or software))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L78	331	channel adj (id or identifier) same (connection or communication or path) same (application or program)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L79	37	(install\$5) same (program or application or software) with (path) with (route or routing)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L80	12	L79 and (((@ad < "19990423") or (@prad < "19990423") or (@rlad < "19990423"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L81	97	(install\$5) with (program or application or software) with (path) with network	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L82	31	L81 and (((@ad < "19990423") or (@prad < "19990423") or (@rlad < "19990423"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L83	22	(install\$5) with (program or application or software) with (path) with (route or routing)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L84	152	(install\$5 or add\$3) same (program or application or software) with (path) with (route or routing)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L85	37	(install\$5) same (program or application or software) with (path) with (route or routing)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L88	97	(install\$5) with (program or application or software) with (path) with network	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25

L89	10	(install\$5) with (program or application or software) with (path) with protocol	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L90	3961	(install\$5) with (program or application or software) with (path or connection)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L91	960	(install\$5) with (program or application or software) with (path)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:25
L92	710	(719/310).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 14:31
L93	2334	(709/227).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 14:31
L94	1194	(709/228).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 14:31